

according to UK REACH Regulation

## LORENCIC Acryl-Dichtstoff Exterieur Struktur weiß 310ml

Revision date: 30.12.2021 Product code: ZKR26LO Page 1 of 12

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

LORENCIC Acryl-Dichtstoff Exterieur Struktur weiß 310ml

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Adhesives, sealants

## Uses advised against

Any non-intended use.

#### 1.3. Details of the supplier of the safety data sheet

Company name: Lorencic GmbH Nfg. & Co KG

Street: Puchstraße 208
Place: A-8055 Graz

Telephone: +43 (0) 316 / 47 25 64 32 Telefax: +43 (0) 316 / 47 25 64 78

Responsible Department:

Dr. Gans-Eichler

e-mail: info@tge-consult.de

Chemieberatung GmbH

Tel.: +49(0)2534 6441185

Otto-Hahn-Str. 36 www.tge-consult.de

D-48161 Münster

1.4. Emergency telephone Poison Control Centre Vienna: +43 (0) 1 406 43 43

number:

#### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

# **GB CLP Regulation**

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

## 2.2. Label elements

# **GB CLP Regulation**

### Special labelling of certain mixtures

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5

-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce

an allergic reaction.

EUH210 Safety data sheet available on request.

EUH212 Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.

#### 2.3. Other hazards

The substances in the mixture (>0,1%) do not meet the PBT/vPvB criteria according to REACH, annex XIII. No risks worthy of mention. Please observe the information on the safety data sheet at all times.

## **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

# **Chemical characterization**

Acrylic polymer.

## **Hazardous components**

CAS No	Chemical name				
	EC No Index No REACH No				
	GHS Classification				
13463-67-7	titanium dioxide				
	236-675-5	022-006-00-2	01-2119489379-17		



according to UK REACH Regulation

# LORENCIC Acryl-Dichtstoff Exterieur Struktur weiß 310ml

Revision date: 30.12.2021 Product code: ZKR26LO Page 2 of 12

	Carc. 2; H351					
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one					
	220-120-9	220-120-9 613-088-00-6				
	Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Skin Sens. 1, Aquatic Acute 1; H302 H315 H318 H317 H400					
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)			< 0.1 %		
	-	613-167-00-5				
	Acute Tox. 2, Acute Tox. 2, Acute Tox. 3, Skin Corr. 1C, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H330 H310 H301 H314 H318 H317 H400 H410 EUH071					

Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits. M-factors and ATE

CAS No	EC No	Chemical name	Quantity		
	Specific Conc.	Limits, M-factors and ATE			
13463-67-7	236-675-5	titanium dioxide	1 - 4 %		
	inhalation: LC5	60 = [3.43 - 6.82] mg/l (dusts or mists); oral: LD50 = > 5000 mg/kg			
2634-33-5	220-120-9	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	< 0.1 %		
	dermal: LD50 =	dermal: LD50 = > 2000 mg/kg; oral: LD50 = 670 mg/kg Skin Sens. 1; H317: >= 0,05 - 100			
55965-84-9	-	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	< 0.1 %		
	dermal: LD50 = Irrit. 2; H315: >				

## **Further Information**

Product does not contain listed SVHC substances > 0,1 % according to Regulation (EC) No. 1907/2006 Article 59 (REACH)

#### **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

## **General information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

#### After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of respiratory tract irritation, consult a physician.

## After contact with skin

Gently wash with plenty of soap and water. In case of skin irritation, seek medical treatment.

### After contact with eyes

Rinse cautiously with water for several minutes. In case of troubles or persistent symptoms, consult an ophthalmologist.

# After ingestion

Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect). Do NOT induce vomiting. In all cases of doubt, or when symptoms persist, seek medical advice.

# 4.2. Most important symptoms and effects, both acute and delayed

No information available.

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.





according to UK REACH Regulation

# LORENCIC Acryl-Dichtstoff Exterieur Struktur weiß 310ml

Revision date: 30.12.2021 Product code: ZKR26LO Page 3 of 12

### **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

## Suitable extinguishing media

Carbon dioxide (CO2). Dry extinguishing powder. alcohol resistant foam. Atomized water.

### Unsuitable extinguishing media

High power water jet.

#### 5.2. Special hazards arising from the substance or mixture

Can be released in case of fire: Carbon monoxide. Carbon dioxide (CO2).

#### 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Co-ordinate fire-fighting measures to the fire surroundings.

### **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

#### General advice

Safe handling: see section 7

#### For non-emergency personnel

Wear personal protection equipment (refer to section 8).

#### For emergency responders

No special measures are necessary.

#### 6.2. Environmental precautions

Discharge into the environment must be avoided.

#### 6.3. Methods and material for containment and cleaning up

### For containment

Take up mechanically.

Treat the recovered material as prescribed in the section on waste disposal.

#### For cleaning up

Clean contaminated objects and areas thoroughly observing environmental regulations.

# 6.4. Reference to other sections

Disposal: see section 13

# **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

#### Advice on safe handling

Wear suitable protective clothing. (See section 8.)

#### Advice on protection against fire and explosion

Usual measures for fire prevention.

# Advice on general occupational hygiene

Always close containers tightly after the removal of product. Do not eat, drink, smoke or sneeze at the workplace. Wash hands before breaks and after work.

## Further information on handling

General protection and hygiene measures: See section 8.

## 7.2. Conditions for safe storage, including any incompatibilities

## Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place.





according to UK REACH Regulation

# LORENCIC Acryl-Dichtstoff Exterieur Struktur weiß 310ml

Revision date: 30.12.2021 Product code: ZKR26LO Page 4 of 12

### Hints on joint storage

Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Radioactive substances. Infectious substances. Food and animal feedingstuff.

#### Further information on storage conditions

Keep the packing dry and well sealed to prevent contamination and absorbtion of humidity.

Recommended storage temperature: 20°C

Protect against: frost. UV-radiation/sunlight. heat. Humidity

## 7.3. Specific end use(s)

See section 1.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

# **Exposure limits (EH40)**

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
13463-67-7	Titanium dioxide, respirable	-	4		TWA (8 h)	WEL

### 8.2. Exposure controls

#### Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

Provide adequate ventilation.

## Individual protection measures, such as personal protective equipment

#### Eye/face protection

Wear safety glasses; chemical goggles (if splashing is possible). BS/EN 166

## Hand protection

In case of prolonged or frequently repeated skin contact:

Wear suitable gloves.

Suitable material:

FKM (fluororubber). - Thickness of glove material: 0,4 mm

Breakthrough time >= 8 h

Butyl rubber. - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

CR (polychloroprenes, Chloroprene rubber). - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

NBR (Nitrile rubber). - Thickness of glove material: 0,35 mm

Breakthrough time >= 8 h

PVC (Polyvinyl chloride). - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

The selected protective gloves have to satisfy the specifications of EU Directive EC/2016/425 and the standard EN 374 derived from it.

Before using check leak tightness / impermeability. In the case of wanting to use the gloves again, clean them before taking off and air them well.

# Skin protection

Suitable protective clothing: Lab apron.

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500 (D).

# **Respiratory protection**

With correct and proper use, and under normal conditions, breathing protection is not required.

#### **Environmental exposure controls**

No special precautionary measures are necessary.



according to UK REACH Regulation

# LORENCIC Acryl-Dichtstoff Exterieur Struktur weiß 310ml

Revision date: 30.12.2021 Product code: ZKR26LO Page 5 of 12

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state: Paste
Colour: various
Odour: characteristic

### Changes in the physical state

Melting point/freezing point:

Boiling point or initial boiling point and

>35 °C

boiling range:

Sublimation point:

Softening point:

Pour point:

Plash point:

not determined
not determined
not determined
not determined

#### **Explosive properties**

none

Lower explosion limits:

Upper explosion limits:

Auto-ignition temperature:

not determined
not determined

>100 °C

## Self-ignition temperature

Gas:

Decomposition temperature:

pH-Value:

viscosity / dynamic:

viscosity / kinematic:

not determined

# Solubility in other solvents

not determined

Partition coefficient n-octanol/water:

Vapour pressure:

23 hPa

Density (at 20 °C):

Relative vapour density:

SECTION 12: Ecological information

23 hPa

1,8 g/cm³

not determined

## 9.2. Other information

## Information with regard to physical hazard classes

Sustaining combustion: Not sustaining combustion

Oxidizing properties

none

# Other safety characteristics

Solvent separation test:

Solvent content:

not determined

not determined

Solid content:

not determined

rate:

not determined

**Further Information** 



according to UK REACH Regulation

# LORENCIC Acryl-Dichtstoff Exterieur Struktur weiß 310ml

Revision date: 30.12.2021 Product code: ZKR26LO Page 6 of 12

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No information available.

## 10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

### 10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

Refer to chapter 10.5.

### 10.4. Conditions to avoid

Protect against: UV-radiation/sunlight. heat.

### 10.5. Incompatible materials

Materials to avoid: Oxidizing agents, strong. Reducing agents, strong. Strong acid. Strong alkali.

#### 10.6. Hazardous decomposition products

Does not decompose when used for intended uses.

Can be released in case of fire: Carbon monoxide. Carbon dioxide (CO2).

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in GB CLP Regulation

## Toxicocinetics, metabolism and distribution

No data available.

## **Acute toxicity**

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
13463-67-7	titanium dioxide					
	oral	LD50 mg/kg	> 5000	Mouse	Toxicol. Letters 168, 176-185 (2007)	WoE
	inhalation (4 h) aerosol	LC50 6.82] mg/l	[3.43 -	Rat	ECHA Dossier	WoE
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one					
	oral	LD50 mg/kg	670	Rat	ECHA Dossier	OECD Guideline 401
	dermal	LD50 mg/kg	> 2000	Rat	ECHA Dossier	OECD Guideline 402
55965-84-9	reaction mass of 5-chloro	-2-methyl-2l	H-isothiazol-	3-one and 2-methyl-2H-iso	othiazol-3-one (3:1)	
	oral	LD50	53 mg/kg	Rat.	RTECS	
	dermal	LD50 mg/kg	87,12	Rabbit	RAC Opinion	
	inhalation vapour	ATE	0,5 mg/l			
	inhalation (4 h) aerosol	LC50 0,33 mg/l	0,169-	Rat.	RAC Opinion	

#### Irritation and corrosivity

Based on available data, the classification criteria are not met.

Irritant effect on the skin: slightly irritant but not relevant for classification.

Irritant effect on the eye: slightly irritant but not relevant for classification.





according to UK REACH Regulation

# LORENCIC Acryl-Dichtstoff Exterieur Struktur weiß 310ml

Revision date: 30.12.2021 Product code: ZKR26LO Page 7 of 12

### Sensitising effects

Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

titanium dioxide:

In vivo mutagenicity/genotoxicity:

No experimental indications of in vivo mutagenicity exist.

Literature information: ECHA Dossier

Reproductive toxicity:

Method: OECD Guideline 443 (Extended One-Generation Reproductive Toxicity Study)

Species: Rat

Result: NOAEL(P0, P1) >= 1000 mg/kg; NOAEL(F1, F1) >= 1000 mg/kg

Literature information: ECHA Dossier

Developmental toxicity/teratogenicity:

Method: OECD Guideline 414 (Prenatal Developmental Toxicity Study)

Species: Rat

Results: NOAEL >= 1000 mg/kg (fetus)

Results: NOAEL >= 1000 mg/kg (Maternal toxicity )

Literature information: ECHA Dossier

Carcinogenicity:

Result / evaluation: negative. Literature information: ECHA Dossier

# STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

titanium dioxide:

Subchronic inhalative toxicity:

Method: WoE

Exposure duration: 28d

Species: Rat

Results: NOAEC >= 5.4 mg/m3

Literature information: Inhalation of high concentrations of low toxicity dusts in rats results in impaired pulmonary clearance mechanisms and persistent inflammation, Warheit, D.B. et al., 1997, Toxicology and

Applied Pharmacology 145: 10 - 22.

Subchronic oral toxicity: Method: WoE (OECD 408)

Species: Rat

Exposure duration: 90d Result: NOAEL >= 1000 mg/kg

Literature information: ECHA Dossier

# **Aspiration hazard**

Based on available data, the classification criteria are not met.

## Specific effects in experiment on an animal

No data available.

# 11.2. Information on other hazards



according to UK REACH Regulation

# LORENCIC Acryl-Dichtstoff Exterieur Struktur weiß 310ml

Revision date: 30.12.2021 Product code: ZKR26LO Page 8 of 12

# **Endocrine disrupting properties**

No data available.

# **SECTION 12: Ecological information**

## 12.1. Toxicity

The product has not been tested.

CAS No	Chemical name							
	Aquatic toxicity	Dose		[h]   [d]	Species	Source	Method	
13463-67-7	titanium dioxide							
	Acute fish toxicity	LC50 294 mg/l	155 -	96 h	Fish	ECHA Dossier	WoE	
	Acute algae toxicity	ErC50	100 mg/l	72 h	Algae	ECHA Dossier	WoE	
	Acute crustacea toxicity	EC50 33.6 mg/l	19.3 -	48 h	Daphnia magna	ECHA Dossier	WoE	
	Fish toxicity	NOEC mg/l	>= 80	6 d		ECHA Dossier	WoE	
	Algae toxicity	NOEC mg/l	>= 1	32 d	Synedra ulna, Scenedesmus quadricauda, Stigeocloni	Environ. Tox. Chem. 31, 2414-2422 (2012)	WoE	
	Crustacea toxicity	NOEC mg/l	1 - 10	21 d	Daphnia magna	ECHA Dossier	WoE	
	Acute bacteria toxicity	(> 1000 m	ng/l)	3 h	activated sludge, domestic	ECHA Dossier	WoE	
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one							
	Acute fish toxicity	LC50 mg/l	2,18	96 h	Oncorhynchus mykiss	ECHA Dossier	OECD Guideline 203	
	Acute algae toxicity	ErC50 mg/l	0,15	72 h	Pseudokirchneriella subcapitata	ECHA Dossier	OECD Guideline 201	
	Acute crustacea toxicity	EC50 mg/l	2,94	48 h	Daphnia magna	ECHA Dossier	OECD Guideline 202	
	Acute bacteria toxicity	(13 mg/l)		3 h	activated sludge of a predominantly domestic sewage	ECHA Dossier	OECD Guideline 209	
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)							
	Acute fish toxicity	LC50 mg/l	0,19	96 h	Oncorhynchus mykiss	RAC opinion	US EPA FIFRA 72-1	
	Acute algae toxicity	ErC50 mg/l	0,0052		48h, Skeletonema costatum	RAC opinion	OECD 201	
	Acute crustacea toxicity	EC50	0,1 mg/l	48 h	Daphnia magna	RAC opinion	OECD 202	
	Fish toxicity	NOEC mg/l	0,098	21 d	Oncorhynchus mykis-	RAC opinion	OECD 215	
	Algae toxicity	NOEC mg/l	0,00064	2 d	Skeletonema costatum	RAC opinion	OECD 201	
	Crustacea toxicity	NOEC mg/l	0.0036	21 d	Daphnia magna	RAC opinion	OECD Guideline 202	

# 12.2. Persistence and degradability

The product has not been tested.



according to UK REACH Regulation

# LORENCIC Acryl-Dichtstoff Exterieur Struktur weiß 310ml

Revision date: 30.12.2021 Product code: ZKR26LO Page 9 of 12

CAS No	Chemical name				
	Method	Value	d	Source	
	Evaluation				
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one				
	OECD Guideline 301 C	62	4	ECHA Dossier	
	Easily biodegradable (concerning to the criteria of the OECD)				

### 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

#### Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	0,63
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	-0,71 - 0,75 (OECD107)

#### **BCF**

CAS No	Chemical name	BCF	Species	Source
13463-67-7	titanium dioxide	333	Lumbriculus variegatus	REACh Registration D
2634-33-5	1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	ca. 6,62	Lepomis macrochirus	ECHA Dossier
55965-84-9	reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	3,6	calc.	

## 12.4. Mobility in soil

No data available.

### 12.5. Results of PBT and vPvB assessment

The substances in the mixture (>0,1%) do not meet the PBT/vPvB criteria according to REACH, annex XIII.

# 12.6. Endocrine disrupting properties

No data available.

## 12.7. Other adverse effects

No data available.

### **Further information**

Do not allow to enter into surface water or drains.

## **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

# **Disposal recommendations**

Observe in addition any national regulations! Consult the local waste disposal expert about waste disposal.

Non-contaminated packages may be recycled.

According to (EWC) European Waste Catalogue, allocation of waste identity numbers/waste descriptions must be carried out in a specific way for every industry and process.

Control report for waste code/ waste marking according to (EWC) European Waste Catalogue:

# List of Wastes Code - residues/unused products

080410 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF

COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products);

waste adhesives and sealants other than those mentioned in  $08\ 04\ 09$ 

## List of Wastes Code - used product





according to UK REACH Regulation

## LORENCIC Acryl-Dichtstoff Exterieur Struktur weiß 310ml

Revision date: 30.12.2021 Product code: ZKR26LO Page 10 of 12

080410 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF

COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS; wastes from MFSU of adhesives and sealants (including waterproofing products);

waste adhesives and sealants other than those mentioned in 08 04 09

List of Wastes Code - contaminated packaging

150106 WASTE PACKAGING: ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately

collected municipal packaging waste); mixed packaging

Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

## **SECTION 14: Transport information**

#### Land transport (ADR/RID)

14.1. UN number or ID number:No dangerous good in sense of these transport regulations.14.2. UN proper shipping name:No dangerous good in sense of these transport regulations.14.3. Transport hazard class(es):No dangerous good in sense of these transport regulations.14.4. Packing group:No dangerous good in sense of these transport regulations.

Inland waterways transport (ADN)

14.1. UN number or ID number:No dangerous good in sense of these transport regulations.14.2. UN proper shipping name:No dangerous good in sense of these transport regulations.14.3. Transport hazard class(es):No dangerous good in sense of these transport regulations.14.4. Packing group:No dangerous good in sense of these transport regulations.

Marine transport (IMDG)

14.1. UN number or ID number:No dangerous good in sense of these transport regulations.14.2. UN proper shipping name:No dangerous good in sense of these transport regulations.14.3. Transport hazard class(es):No dangerous good in sense of these transport regulations.

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number or ID number:No dangerous good in sense of these transport regulations.14.2. UN proper shipping name:No dangerous good in sense of these transport regulations.14.3. Transport hazard class(es):No dangerous good in sense of these transport regulations.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

Refer to section 6-8

14.7. Maritime transport in bulk according to IMO instruments

not relevant

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU** regulatory information

2010/75/EU (VOC): No information available.

2004/42/EC (VOC): <20 g/

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

## **Additional information**

Safety Data Sheet according to UK-REACH Regulation

Revision No: 4,0 GB - EN Print date: 30.12.2021





according to UK REACH Regulation

# LORENCIC Acryl-Dichtstoff Exterieur Struktur weiß 310ml

Revision date: 30.12.2021 Product code: ZKR26LO Page 11 of 12

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

UK REACH Appendix XVII, No (mixture): not relevant

### **National regulatory information**

Water hazard class (D): 1 - slightly hazardous to water

### 15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

## **SECTION 16: Other information**

## Changes

Rev. 1.00 Initial release 03.06.2014

Rev. 2,00; 09.05.2018, Changes in chapter: 1-16 Rev. 3,00; 03.09.2019, Changes in chapter: 1-16

Rev. 4,00 30.12.2021 Changes in chapter: 1,2,3,6,8,9,10,11,12,15,16

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement

concerning the International Carriage of Dangerous Goods by Road)

AGW: Arbeitsplatzgrenzwert CAS: Chemical Abstracts Service

CLP: Classification, Labelling and Packaging of substances and mixtures

DNEL: Derived No Effect Level

d: day(s)

EINECS: European INventory of Existing Commercial chemical Substances

ELINCS: European LIst of Notified Chemical Substances

ECHA: European Chemicals Agency EWC: European Waste Catalogue

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

h: hour

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level

NOAEC: No observed adverse effect concentration

NLP: No-Longer Polymers

N/A: not applicable

OECD: Organisation for Economic Co-operation and Development

PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de

fer (Regulations Concerning the International Transport of Dangerous Goods by Rail )

REACH: Registration, Evaluation, Authorisation of Chemicals

SVHC: substance of very high concern TRGS: Technische Regeln für Gefahrstoffe

**UN: United Nations** 

VOC: Volatile Organic Compounds



according to UK REACH Regulation

## LORENCIC Acryl-Dichtstoff Exterieur Struktur weiß 310ml

Revision date: 30.12.2021 Product code: ZKR26LO Page 12 of 12

### Relevant H and EUH statements (number and full text)

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.

H330 Fatal if inhaled.

H351 Suspected of causing cancer. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5

-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce

an allergic reaction.

EUH210 Safety data sheet available on request.

EUH212 Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.

#### **Further Information**

Classification according to Regulation (EC) No 1272/2008 [CLP] - Classification procedure:

Health hazards: Calculation method.

Environmental hazards: Calculation method.

Physical hazards: On basis of test data and / or calculated and / or estimated.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)